EAST Search History

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1199	(600/547).OCLS.	US-PGPUB; USPAT	OR	OFF	2008/01/18 16:17
\$2	12	("20010020138" "20010034491" "20030050570" "3998213" "4328814" "5216817" "5293867" "5335667" "5484668" "5685303" "6577897" "6978170").PN. OR ("7283869").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/18 16:43
S 3	68	("2409033" "2426958" "2549836" "2872926" "2943627" "3387608" "3411495" "3490439" "3508541" "3623477" "3658054" "3735753").PN. OR ("3998213").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/18 16:44
S 4	24	("1404173" "3330258" "3989036" "4170961" "5133421" "5335667" "5372141" "5720296" "5810742" "5823957" "6067468" "6208890" "6265978" "6292690" "6472617" "6478736" "6539310" "6571200" "6643542" "6850798" "6865410" "6969350").PN. OR ("7184822").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/18
S5	1	("7184822").PN.	DERWENT	OR	OFF	2008/01/22 13:57
S6	16599	orthogonal\$4 with electrode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/01/22 14:03
S7	5339	orthogonal\$4 with electrode	FPRS; EPO; JPO; DERWENT	OR	ON	2008/01/22 14:04

S8	47	orthogonal\$4 with electrode with adjust\$5	FPRS; EPO; JPO; DERWENT	OR	ON	2008/01/22 14:08
S9	6531	electrode with slid\$4	FPRS; EPO; JPO; DERWENT	OR	ON	2008/01/22 14:09
S10	75	electrode with slid\$4 and (perpendiculal\$3 orthogonal\$3)	FPRS; EPO; JPO; DERWENT	OR	ON	2008/01/22 14:16
S11	1026	electrode with slid\$4 and (perpendiculal\$3 orthogonal\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/22 14:18
S12	142	S11 and skin	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/22 14:16
S13	121	electrode with slid\$4 same (perpendiculal\$3 orthogonal\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/22 14:36
S14	434	(600/393).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/01/22 15:16
S15	232	(600/554).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/01/22 15:16
S16	56	(impedance and electrode with adjust \$3).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/01/28 10:52
S17	66	(impedance and electrode and (slid\$4 position\$4)).ti.	US-PGPUB; US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/01/28 10:59
S18	2	(impedance and electrode and (orthogonal\$3 perpendicular\$3)).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/01/28 11:19
S19	11	(impedance and electrode and distance).	US-PGPUB; US-PGPUB; USPAT; USOCR; FPRS; EPO; UJPO; DERWENT	OR	ON	2008/01/28 11:21
S20	573	600/547.ccls. and (electrode with (slid\$3 mov\$3 position\$3 adjust\$3))	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/28 11:25
S21	6	("20020040195" "20020062090" "20020072687" "5415176").PN. OR ("6552553").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/28 12:20
S22	6	quadripolar with electrode with adjust\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/01/29 11:10

S23	36	(quadripolar with electrode) and "600"/\$.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/01/29 11:11
S24	118	((quadripolar tetrapolar) with electrode) and "600"/\$. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/01/29 11:13
S25	22	((quadripolar tetrapolar) with electrode) with skin	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/01/29 11:13
S26	4702	electrode same (orthogonal\$3 perpendicular (right near angle)) same spacing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/01/29 11:16
S27	181	S26 and skin	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/01/29 11:17
S28	0	((quadripolar tetrapolar) with electrode) and spacing with adjust\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/01/29 11:33
S29	8	((quadripolar tetrapolar) with electrode) and spacing with (chang\$4 modify \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/01/29 11:33
S30	4148	(600/547,372-397). CCLS.	US-PGPUB; USPAT	OR	OFF	2008/02/01 12:09
S31	32	S30 and "0.8" near (mm milimeter millimeter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/02/01 12:09
S32	1225	electrode with "0.8" near (mm milimeter millimeter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/02/01 12:23
S33	446	S32 with thick\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/02/01 12:24
S34	1202	(600/547).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/02/01 12:26
S35	246	S34 and mm	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/02/01 12:26

S36	33	S34 and mm with between with electrode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/02/01 12:27
S37	52	S34 and cm with between with electrode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/02/01 12:31

2/27/2008 10:49:33 AM

C:\ Documents and Settings\ mapanius\ My Documents\ EAST\ Workspaces\ 10624532e.wsp